

WHAT IS CLAIMED IS:

- 1           1.     An applicator device for applying a composition, the device  
2 comprising:  
3                 a body;  
4                 a composition containment member coupled to the body configured  
5 to receive the composition; and  
6                 an applicator surface coupled to the body to receive the  
7 composition from the composition containment member,  
8                 wherein the applicator surface is movable between a storage  
9 position and a use position by an activator coupled to the applicator surface.
- 1           2.     The applicator device of claim 1, wherein the applicator surface is  
2 substantially planar in the storage position and substantially non-planar in the  
3 use position.
- 1           3.     The applicator device of claim 2, wherein the applicator surface is  
2 substantially serpentine in the use position.
- 1           4.     The applicator device of claim 1, wherein the activator includes a  
2 first sliding member movable between a first position in which the applicator  
3 surface is in the storage position and a second position in which the applicator  
4 surface is in the use position.
- 1           5.     The applicator device of claim 4, further comprising a composition  
2 dispensing member for communicating a selective amount of the composition to  
3 the applicator surface.

1           6.     The applicator device of claim 5, wherein the composition  
2     dispensing member includes at least one of:  
3                 a piston movable through the composition containment member to  
4     communicate the composition to the applicator surface; and  
5                 an engagement member for moving the composition containment  
6     member in the form of a burstable package to a bursting position in which the  
7     composition is communicated to the applicator surface.

1           7.     The applicator device of claim 6, wherein the composition  
2     dispensing member is coupled to the first sliding member.

1           8.     The applicator device of claim 6, further comprising a second  
2     sliding member movable between a first position and a second position, wherein  
3     the composition dispensing member is coupled to the second sliding member.

1           9.     The applicator device of claim 1, further comprising at least one of  
2     an oral composition and a topical composition.

1           10.    The applicator device of claim 9, wherein the oral composition  
2     comprises at least one essential oil selected from the group consisting of  
3     menthol, thymol, eucalyptus, and methyl salicylate and mixtures thereof.

1           11.    The applicator device of claim 1, wherein the body comprises at  
2     least one of a valve and a single direction metering valve positioned between the  
3     composition containment member and the applicator surface.

1           12.    A method of making an applicator device for applying a composition  
2   to a user, the method comprising the steps of:  
3                a) providing a body, wherein the body includes an applicator  
4   surface;  
5                b) coupling a composition containment member to the body,  
6   wherein the composition containment member is configured to hold the  
7   composition;  
8                wherein the applicator surface is moveable from a planar storage  
9   position to a substantially serpentine use position; and  
10               wherein the composition from the composition containment  
11   member is passable to the applicator surface.

1           13.    An applicator device comprising:  
2                a body;  
3                a composition containment member coupled to the body and  
4   configured to hold a composition; and  
5                a movable applicator surface coupled to the body to receive the  
6   composition from the composition containment member,  
7                wherein the applicator surface is substantially planar in a storage  
8   position and substantially non-planar in a use position.

1           14.    The applicator device of claim 13, further comprising a composition  
2   dispensing member for communicating a selective amount of the composition to  
3   the applicator surface.

1           15.    The applicator device of claim 14, wherein the composition  
2   dispensing member includes one of:  
3                a piston movable through the composition containment member to  
4   communicate the composition to the applicator surface; and  
5                an engagement member for moving the oral composition  
6   containment member in the form of a burstable package to a bursting position in  
7   which the composition is communicated to the applicator surface.

1           16.    The applicator device of claim 14, further comprising a sliding  
2   member movable between a first position and a second position, wherein the  
3   composition dispensing member is coupled to the sliding member.

1           17.    The applicator device of claim 13, wherein the body further  
2   comprises a valve.

1           18.    The applicator device of claim 13, wherein the substantially non-  
2   planar surface is at least one of a serpentine, curved, non-planar, and irregular  
3   shaped surface.

1           19.    The applicator device of claim 13, further comprising an oral  
2   composition, wherein the oral composition includes at least one essential oil.

1           20.    The applicator device of claim 19, wherein the oral composition  
2   includes a mixture including menthol, thymol, eucalyptus, and methyl salicylate.